Author Index Vol. 755

Adrichem, M.A., see Rozemeijer, M.J.C. 755(1996)57
Andersson, P.E., see Olsson, J.C. 755(1996)289
Bächmann, K., see Tenberken, B. 755(1996)121
Balke, S.T., see Rao, B. 755(1996)27
Bernal, J.L., see Pocurull, E. 755(1996)67
Bert, L., Robert, F., Denoroy, L., Stoppini, L. and Renaud, B.
Enhanced temporal resolution for the microdialysis monitoring of catecholamines and excitatory amino acids using capillary electrophoresis with laser-induced fluorescence detection. Analytical developments and in vitro validations 755(1996)99
Blagović, B., see Rupčić, J. 755(1996)75
Bodnar, J.A., see Chu, I. 755(1996)281
Borrull, F., see Pocurull, E. 755(1996)67
Bowman, R.N., see Chu, I. 755(1996)281
Brown, R.H., see Rimmer, D.A. 755(1996)245
Castells, C.B. and Castells, R.C.
Evaluation of theoretical models of non electrolyte solutions in the prediction of Kováts retention indices of branched alkanes in alkane stationary phases 755(1996)49
Castells, R.C., see Castells, C.B. 755(1996)49
Chang, C.-C., see Lin, C.-E. 755(1996)261
Chen, Y., see Huang, A. 755(1996)138
Chiou, W.-C., see Lin, C.-E. 755(1996)261
Chu, I., Bodnar, J.A., White, E.L. and Bowman, R.N.
Quantification of vincristine and vinblastine in *Catharanthus roseus* plants by capillary zone electrophoresis 755(1996)281
Chuang, W.-C., see Lee, M.-C. 755(1996)113
Chuang, W.-C., Young, D.-S., Kao Liu, L. and Sheu, S.-J.
Liquid chromatographic–electrospray mass spectrometric analysis of Coptidis Rhizoma 755(1996)19
Claessens, H.A., see Harms, A.V. 755(1996)219
Claessens, H.A., see Ingelse, B.A. 755(1996)251
Court, W.A., Hendel, J.G. and Elmi, J.
Reversed-phase high-performance liquid chromatographic determination of ginsenosides of *Panax quinquefolium* 755(1996)11
De Jong, A.P.J.M., see Van Bommel, M.R. 755(1996)205
Denoroy, L., see Bert, L. 755(1996)99
De Voogt, P., see Rozemeijer, M.J.C. 755(1996)57
Disnar, J.-R., see Maman, O. 755(1996)89
Eguchi, M., see Harino, H. 755(1996)147
Elmi, J., see Court, W.A. 755(1996)11
Everaerts, F.M., see Ingelse, B.A. 755(1996)251
Fang, X., see Huang, A. 755(1996)138
Flieger, M., see Ingelse, B.A. 755(1996)251
Francotte, E., see Jung, M. 755(1996)81
Freed, A.L., see Kostel, K.L. 755(1996)311
Freiler, M., see Reznicek, G. 755(1996)133
Funazo, K., see Harino, H. 755(1996)147
Green, N., see Rozemeijer, M.J.C. 755(1996)57
Guillet, B., see Maman, O. 755(1996)89
Hamburger, M., see Zhou, S. 755(1996)189
Harino, H., Inoue, Y., Yoshioka, J., Tsunoi, S., Eguchi, M., Yasaka, Y., Funazo, K. and Tanaka, M.
Separation of naphthalene and flavone derivatives by micellar electrokinetic chromatography with double- and triple-chain surfactants 755(1996)147
Harms, A.V., van Elteren, J.T. and Claessens, H.A.
Technetium speciation: non size effects in size-exclusion chromatography 755(1996)219
He, X.-g., Lin, L.-z. and Lian, L.-z.
Analysis of flavonoids from red clover by liquid chromatography–electrospray mass spectrometry 755(1996)127
Heemstra, S., see van den Bosch, S.E. 755(1996)165
Hendel, J.G., see Court, W.A. 755(1996)11
Hu, Z., see Yang, G. 755(1996)308
Huang, A., Chen, Y., Zhu, T., Fang, X. and Sun, Y.
Simple method for preparing cross-linked polyacrylamide gel-filled capillaries 755(1996)138
Hughes, J.G., see Morris, V.M. 755(1996)235
Ingelse, B.A., Flieger, M., Claessens, H.A. and Everaerts, F.M.
Ergot alkaloids as chiral selectors in capillary electrophoresis. Determination of the separation mechanism 755(1996)251
Inoue, Y., see Harino, H. 755(1996)147
Irth, H., see Lutz, E.S.M. 755(1996)179
Irth, H., see van Bommel, M.R. 755(1996)205
Jiménez, B., see Rozemeijer, M.J.C. 755(1996)57
Johnson, P.D., see Rimmer, D.A. 755(1996)245
Jordan, S.L., Taylor, L.T., McPherson, B. and Rasmussen, H.T.
Identification of an anti-bacterial agent in toothpaste via liquid chromatography–Fourier transform infrared spectrometry mobile phase elimination 755(1996)211
Jung, M. and Francotte, E.
Comparison of γ-cyclodextrin sulfobutyl ether and unmodified γ-cyclodextrin as chiral selectors in capillary electrophoresis 755(1996)81
Kao Liu, L., see Chuang, W.-C. 755(1996)19
Karlberg, B., see Olsson, J.C. 755(1996)289
Kohara, K., see Yokoyama, T. 755(1996)43
Kostel, K.L., Freed, A.L. and Lunte, S.M.
Erratum to "Complete capillary electrophoretic separation of substance P and its metabolites at neutral pH using ionic run buffer additives". [J. Chromatogr. A, 744 (1996) 241–248][1] 755(1996)311
Kraak, J.C., see van den Bosch, S.E. 755(1996)165
Lawrence, J.F. and Wong, B.
Development of a manganese dioxide solid-phase reactor for oxidation of toxins associated with paralytic shellfish poisoning 755(1996)227
Lee, M.-C., Chuang, W.-C. and Sheu, S.-J.
Determination of the alkaloids in *Evodiae fructus* by capillary electrophoresis 755(1996)113
Lian, L.-z., see He, X.-g. 755(1996)127
Lin, C.-E., see Lin, W.-C. 755(1996)142

Lin, C.-E., Lin, W.-C., Chiou, W.-C., Lin, E.C. and Chang, C.-C.
Migration behavior and separation of sulfonamides in capillary zone electrophoresis. I. Influence of buffer pH and electrolyte modifier 755(1996)261
Lin, E.C., see Lin, C.-E. 755(1996)261
Lin, E.C., see Lin, W.-C. 755(1996)142
Lin, L.-z., see He, X.-g. 755(1996)127
Lin, W.-C., see Lin, C.-E. 755(1996)261
Lin, W.-C., Lin, C.-E. and Lin, E.-C.
Capillary zone electrophoretic separation of biogenic amines: influence of organic modifier 755(1996)142
Lunte, S.M., see Kostel, K.L. 755(1996)311
Lutz, E.S.M., Irth, H., Tjaden, U.R. and van der Greef, J.
Applying hollow fibres for separating free and bound label in continuous-flow immunochemical detection 755(1996)179
Maman, O., Marseille, F., Guillet, B., Disnar, J.-R. and Morin, P.
Separation of phenolic aldehydes, ketones and acids from lignin degradation by capillary zone electrophoresis 755(1996)89
Marcé, R.M., see Pocurull, E. 755(1996)67
Marić, V., see Rupčić, J. 755(1996)75
Markides, K.E., see Nyholm, L.M. 755(1996)153
Marriott, P.J., see Morris, V.M. 755(1996)235
Marseille, F., see Maman, O. 755(1996)89
Matthijs, G. and Schacht, E.
Dextran-coated silica and its behavior in high-performance size-exclusion chromatography 755(1996)1
Mayer, S., see Schurig, V. 755(1996)299
McPherson, B., see Jordan, S.L. 755(1996)211
Miwa, T., see Takeuchi, T. 755(1996)37
Morin, P., see Maman, O. 755(1996)89
Morris, V.M., Hughes, J.G. and Marriott, P.J.
Examination of a new chromatographic function, based on an exponential resolution term, for use in optimization strategies: application to capillary gas chromatography separation of phenols 755(1996)235
Mourey, T.H., see Rao, B. 755(1996)27
Munaf, E., see Takeuchi, T. 755(1996)37
Negura, S., see Schurig, V. 755(1996)299
Nordström, A.-C., see Olsson, J.C. 755(1996)289
Nyholm, L.M., Sjöberg, P.J.R. and Markides, K.E.
High-temperature open tubular liquid chromatography coupled to atmospheric pressure chemical ionisation mass spectrometry 755(1996)153
Okuda, Y., see Yokoyama, T. 755(1996)43
Olie, K., see Rozemeijer, M.J.C. 755(1996)57
Olsson, J.C., Andersson, P.E., Karlberg, B. and Nordström, A.-C.
Determination of plant indoles by capillary electrophoresis with amperometric detection 755(1996)289
Pocurull, E., Marcé, R.M., Borrull, F., Bernal, J.L., Toribio, L. and Serna, M.L.
On-line solid-phase extraction coupled to supercritical fluid chromatography to determine phenol and nitrophenols in water 755(1996)67
Poppe, H., see van den Bosch, S.E. 755(1996)165
Rao, B., Balke, S.T., Mourey, T.H. and Schúnk, T.C.
Methyl cyclohexane as a new eluting solvent for the size-exclusion chromatography of polyethylene and polypropylene at 90°C 755(1996)27
Rasmussen, H.T., see Jordan, S.L. 755(1996)211
Reich, S., see Schurig, V. 755(1996)299
Renaud, B., see Bert, L. 755(1996)99
Reyderman, L. and Stavchansky, S.
Determination of single-stranded oligodeoxynucleotides by capillary gel electrophoresis with laser induced fluorescence and on column derivatization 755(1996)271
Reznicek, G., Freiler, M., Schader, M. and Schmidt, U.
Determination of the content and the composition of the main saponins from *Solidago gigantea* AIT. using high-performance liquid chromatography 755(1996)133
Rimmer, D.A., Johnson, P.D. and Brown, R.H.
Determination of phenoxy acid herbicides in vegetation, utilising high-resolution gel permeation chromatographic clean-up and methylation with trimethylsilyldiazomethane prior to gas chromatographic analysis with mass-selective detection 755(1996)245
Robert, F., see Bert, L. 755(1996)99
Rozemeijer, M.J.C., Green, N., Jiménez, B., Adrichem, M.A., Olie, K. and de Voogt, P.
Integrating gel permeation chromatography clean-up in the analysis of metabolites of polychlorinated biphenyls, dibenzo-*p*-dioxins and dibenzofurans extracted from a microsomal assay. A comparison of different mobile phases 755(1996)57
Rupčić, J., Blagović, B. and Marić, V.
Cell lipids of the *Candida lipolytica* yeast grown on methanol 755(1996)75
Schacht, E., see Matthijs, G. 755(1996)1
Schader, M., see Reznicek, G. 755(1996)133
Schmidt, U., see Reznicek, G. 755(1996)133
Schunk, T.C., see Rao, B. 755(1996)27
Schurig, V., Negura, S., Mayer, S. and Reich, S.
Enantiomer separation on a Chirasil-Dex-polymer-coated stationary phase by conventional and micro-packed high-performance liquid chromatography 755(1996)299
Serna, M.L., see Pocurull, E. 755(1996)67
Sheu, S.-J., see Chuang, W.-C. 755(1996)19
Sheu, S.-J., see Lee, M.-C. 755(1996)113
Sjöberg, P.J.R., see Nyholm, L.M. 755(1996)153
Stavchansky, S., see Reyderman, L. 755(1996)271
Stoppini, L., see Bert, L. 755(1996)99
Sun, Y., see Huang, A. 755(1996)138
Takeuchi, T., Zein, R., Munaf, E. and Miwa, T.
Indirect photometric detection of inorganic anions in microcolumn ion chromatography using octadecylsilica immobilized with bovine serum albumin as stationary phase 755(1996)37
Tanaka, M., see Harino, H. 755(1996)147
Taylor, L.T., see Jordan, S.L. 755(1996)211
Tenberken, B. and Bächmann, K.
Analysis of individual raindrops by capillary zone electrophoresis 755(1996)121
Tjaden, U.R., see Lutz, E.S.M. 755(1996)179
Tjaden, U.R., see van Bommel, M.R. 755(1996)205
Toribio, L., see Pocurull, E. 755(1996)67
Tsunoi, S., see Harino, H. 755(1996)147
Van Bommel, M.R., de Jong, A.P.J.M., Tjaden, U.R., Irth, H. and van der Greef, J.

On-line preconcentration and high-performance liquid chromatographic determination of polycyclic aromatic hydrocarbon–DNA adducts using copper phthalocyanine trisulfonic acid as a group-specific adsorbent 755(1996)205
Van den Bosch, S.E., Heemstra, S., Kraak, J.C. and Poppe, H. Experiences with packed capillary electrochromatography at ambient pressure 755(1996)165
Van der Greef, J., see Lutz, E.S.M. 755(1996)179
Van der Greef, J., see van Bommel, M.R. 755(1996)205
Van Elteren, J.T., see Harms, A.V. 755(1996)219
White, E.L., see Chu, I. 755(1996)281
Wong, B., see Lawrence, J.F. 755(1996)227
Yang, G. and Hu, Z. Comments on a general theory of ion-exchange chromatographic separation processes 755(1996)308
Yasaka, Y., see Harino, H. 755(1996)147
Yokoyama, T., Okuda, Y., Kohara, K. and Zenki, M. Elution delay of fluoride by chromatography of anions on silica gels coated with crown ether dyes 755(1996)43
Yoshioka, J., see Harino, H. 755(1996)147
Young, D.-S., see Chuang, W.-C. 755(1996)19
Zein, R., see Takeuchi, T. 755(1996)37
Zenki, M., see Yokoyama, T. 755(1996)43
Zhou, S. and Hamburger, M. Application of liquid chromatography–atmospheric pressure ionization mass spectrometry in natural product analysis. Evaluation and optimization of electrospray and heated nebulizer interfaces 755(1996)189
Zhu, T., see Huang, A. 755(1996)138